

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	938	(315/276).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/02 10:09
S2	820	S1 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:39
S3	191	(315/192).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 16:06
S4	1192	driving adj (apparatus or circuit\$2) and load\$1 and transformer\$1 and (AC or (alternating adj current)) and resistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:08
S5	1008	S4 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:23
S6	307	S5 and (illuminat\$3 or EL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:53
S7	969	(low adj pass adj filter) and load\$1 and (transformer or coil\$1 or inductor\$1) and (AC or (alternating adj current)) and impedance and induced	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:56
S8	808	S7 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:56
S9	42	S8 and "315"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:57

S10	1196	(driving adj circuit) and (current with transformer) and (impedance or resistor) and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:18
S11	118	S10 and (low with pass with filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:36
S12	136	(314/32).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/02 10:37
S13	136	S12 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:44
S14	708	315/57, 315/70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:45
S15	638	315/57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:57
S16	407	315/290	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:57
S17	552	315/289	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:57
S18	494	S17 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:18

S19	4396	transformer and filter and "315"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:19
S20	3844	S19 and (impedance or resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:19
S21	3524	S20 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:24
S22	2538	S21 and (AC or (alternating adj current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:26
S23	379	S22 and (low-pass or (low adj pass))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:42
S24	1	("6531833").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/02 13:51
S25	128	(315/70).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/02 13:51
S26	124	S25 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 13:59
S27	993	315/276	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 13:59

S28	766	S27 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:04
S29	1582	(el or electroluminescent) and transformer and (low with pass with filter) and (resistor or impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:05
S30	1546	S29 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:06
S31	971	S30 and (AC or (alternating adj current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:13
S32	15	S31 and (driving adj circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:49
S33	14	(video adj projector) and transformer and resistor and (low with pass with filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:53
S34	93	(video adj projector) and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:53
S35	38	S34 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:59

S36	49	315/354	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:08
S37	153	323/247	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:08
S38	117	S37 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:17
S39	18	(driving adj circuit) and (coils with coupling) and (electroluminescent or EL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:35
S40	1130	315/248	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:36
S41	917	S40 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:50
S42	28	(EL or electroluminescent) and (low with pass with filter) and "336"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 17:38
S43	87	(video adj projector) and driving and (coupling or tranformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 11:41

S44	1886	(low adj pass adj filter) and (transformer) and (AC or alternating current) and RC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 11:44
S45	421	S44 and (EL or electroluminescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 11:45
S46	414	S45 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 11:08
S47	525	(driving adj circuit\$2) and (el or electroluminescent ) and (transformer or (coil\$1 with coupling))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 11:09
S48	471	S47 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 11:10